

DEPARTMENT OF ADMINISTRATION

DIPATTAMENTON ATMENESTRASION

GENERAL SERVICES AGENCY (Ahension Setbision Hinirat) Telephone (Telifon): (671) 475-1705/1706



September 5, 2025

Invitation for Bid GSA-071-25

AMENDMENT #3

Network Switches

1) Amend page 3 of 52.

From:

REQUIRED DELIVERY DATE: 90 Days Upon Receipt of Purchase Order. For a period of one (1) year on an as needed basis upon availability of funds. This is an indefinite quantity bid.

To now read:

REQUIRED DELIVERY DATE: 180 Days Upon Receipt of Purchase Order. For a period of one (1) year on an as needed basis upon availability of funds. This is an indefinite quantity bid.

2) Amend page 4 of 52.

From:

1.2 Delivery.

Ninety (90) days upon receipt of purchase order. Schedule time and quantity will be coordinated between the successful bidder and the requesting department on an as needed basis.

To now read:

1.2 Delivery.

One hundred eighty (180) days upon receipt of purchase order. Schedule time and quantity will be coordinated between the successful bidder and the requesting department on an as needed basis.

3) Amend and replace pages 43, 45, and 48 of 52 with attached "Revised Pages 43, 45, 48 of 52" dated 9/5/2025.

All others remain unchanged.

Please Print ACKNOWLEDGME Received By:	NT COPY
Date:	
Company/Name:	
Email To: gsapro	curement@gsadoa.guam.gov

Andriana Quitugua
Acting Chief Procurement Officer

VIRTUALIZATON SUPPORT VXLAN Routing and Bridging • VM Tracer VMwareIntegration	
SECURITY FEATURES IPv4 / IPv6 Ingress & Egress ACLs using L2, L3, L4 fields •MAC ACLs • ACL Drop Logging and ACL Counters • Control Plane Protection (CPP) • Service ACLs •DHCP Relay / Snooping •MAC Security • TACACS+ • RADIUS	
QUALITY OF SERVICE (QoS) FEATURES Up to 8 queues per port • 802.1p based classification •DSCP based classification and remarking • Explicit Congestion Notification (ECN) - 7060X only •QoS interface trust (COS / DSCP) • Strict priority queueing • Weighted Round Robin (WRR) Scheduling • Per-Priority Flow Control (PFC) •Data Center Bridging Extensions (DCBX) • 802.1Qaz Enhanced Transmissions Selection (ETS) • ACL based DSCP Marking • ACL based Policing • Per port MMU Configuration • Policing/Shaping • Rate limiting	
NETWORK MANAGEMENT Network Management Solution • 10/100/1000 Management Port • RS-232 Serial Console Port • USB Port • SNMP v1, v2, v3 •Management over IPv6 • Telnet and SSHv2 • Syslog • AAA • Industry Standard CLI • OpenConfg	
STANDARDS COMPLIANCE 802.1D Bridging and Spanning Tree • 802.1p QOS/COS • 802.1Q VLAN Tagging • 802.1w Rapid Spanning Tree • 802.1s Multiple Spanning Tree Protocol • 802.1AB Link Layer Discovery Protocol • 802.3ad Link Aggregation with LACP • 802.3ab 1000BASE-T • 802.3z Gigabit Ethernet • 802.3ae 10 Gigabit Ethernet • 802.3by 25 Gigabit Ethernet 1 • 802.3ba 40 and 100 Gigabit Ethernet • RFC 2460 Internet Protocol, Version 6 (IPv6) Specification • RFC 4861 Neighbor Discovery for IP Version 6 (IPv6) • RFC 4862 IPv6 Stateless Address Autoconfiguration • RFC 4443 Internet Control Message Protocol (ICMPv6) for the Internet Protocol Version 6 (IPv6) Specification	
HARDWARE AND SOFTWARE SUPPORT – 3 YR Premium Support for Software and Hardware Replacement/Same Day Ship – 3 YR	
Technical Support shalloperate without the need for escalations, ensuring swift issue resolution. There shall be no tiers (i.e., Tier I, II, III) that can introduce delays in the remediation process. Instead, all issues shall be addressed directly by one (1) Technical Support Representative or Engineer for immediate resolution.	

	Bidder must have design and deployment experie grade cybersecurity.	nce in Public Secto	r		
BIDDIN	NG ON:				
MANU	FACTURED BY:				
MODE	L NO.:		2000		
PLACE	OF ORIGIN:				
DATE (OF DELIVERY:	180.00			
ITEM NO.	DESCRIPTION	QTY/UOM	UNIT PRICE	TOTAL	
1.1	Training and Knowledge Transfer for Item 1.0, as per the following specifications or better:	1 Lot	\$	\$	
SPECIFIC	<u>ATIONS</u>		BIDDING ON /	REMARKS	
(OTECH) impleme shall als protocols	shall be planned and coordinated with the Offi and may include but is not limited to best nting security protocols, and managing syslogs and o focus on EOS fundamentals, switching, rou- s whereas knowledge transfer shall focus on imple and cybersecurity protocols leading to improved jo	practice solutions d back ups. Training ting and essentia ementation of bes	; 3 		

organizational results.

• Environment monitoring • MLAG ISSU • Maintenance mode	
STANDARDS COMPLIANCE 802.1D Bridging and Spanning Tree • 802.1p QOS/COS • 802.1Q VLAN Tagging • 802.1w Rapid Spanning Tree • 802.1s Multiple Spanning Tree Protocol • 802.1AB Link Layer Discovery Protocol • 802.3ad Link Aggregation with LACP • 802.3x Flow Control • 802.3u 100BASE-TX • 802.3ab 1000BASE-T • 802.3z 1000BASE-X • 802.3ae 10 Gigabit Ethernet • 802.3af/at 15W/30W Power over Ethernet (PoE) • 802.3bt 30W Power over Ethernet (PoE) • 802.3i 10Base-T • RFC 2460 Internet Protocol, Version 6 (IPv6) Specification	
HARDWARE AND SOFTWARE SUPPORT – 3 YR Premium Support for Software and Hardware Replacement/Same Day Ship – 3 YR	
Technical Support shall operate without the need for escalations, ensuring swift issue resolution. There shall be no tiers (i.e., Tier I, II, III) that can introduce delays in the remediation process. Instead, all issues shall be addressed directly by one (1) Technical Support Representative or Engineer for immediate resolution.	
CLOUD MANAGEMENT SUBSCRIPTION - 3 YR Cloud Networking management solution as a service subscription for 1G/mG Platforms - 3 YR subscription	
Single Network Management Solution available as a Cloud Software-as-a-Service (SaaS) or On-premise appliance that can manage all Data Center switching, Campus switching, and WAN routing platforms without the need for additional integration efforts.	
ADDITIONAL REQUIREMENTS Bidder shall ensure the compatibility of all hardware and software components with existing networking infrastructure.	
All items/components must be brand new and meet TAA compliance. Solution must include all required hardware components for normal operation "out-of-the-box" and all required licensing and software/application support and maintenance (3 YR) to ensure normal operation when delivered.	